HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid	
AVAN															
AVA16001	617822.19	7216017.91	220	-55	483.7	No significant intersection								Exp	
AVA16002	618110.00	7215500.00	220	-47	558.9	No significant intersection								Exp	
AVA16003	617822.19	7216017.91	40	-47	631.7	536.30	538.70	2.40	**0.2**	**46.15**	**14.80**	**11.1**	365	Exp	top-capped to 30g/t = 2.4m at 14.80g/t Au
AVA16004	618110.00	7215500.00	40	-60	371.9	ficant intersection								Exp	
AVA16005	617498.00	7215589.00	220	-47	601.9	115.00	130.00	15.00	11.3	0.87		9.8	80	Exp	
						139.00	154.00	15.00	11.3	0.55		6.2	95		
						165.00	169.00	4.00	3.0	1.65		5.0	110		
						221.00	227.00	6.00	**4.5**	**16.20**	**7.28**	**72.9**	145		top-capped to 20g/t = 6m at 7.28g/t Au
						367.00	393.00	26.00	**19.5**	**2.22**		**43.3**	250		
AVA16006	617986.00	7215350.00	220	-47	430.9	239.00	273.00	34.00	**25.5**	0.87		22.2	150	Exp	
AVA16007	617498.00	7215589.00	220	-62	755.5	194.00	212.00	18.00	13.5	1.11		15.0	170	Exp	
						221.00	244.00	23.00	17.3	0.65		11.2	195		
						477.60	511.00	33.40	**25.1**	**1.68**		**42.1**	420		
						636.00	644.00	8.00	6.0	3.23		19.4	545		
AVA16008	617498.00	7215589.00	40	-63	395.6	65.00	67.00	2.00	1.5	4.00		6.0	50	Exp	
						139.00	155.00	16.00	12.0	1.00		12.0	120		
AVA16009	618455.23	7214998.97	37	-46	90.9	28.00	38.00	10.00	**7.5**	**3.41**	**2.84**	**25.6**	25	Val	top-capped to 20g/t
						54.00	59.00	5.00	3.8	1.17		4.4	40		
AVA16010	617661.88	7215383.30	41	-49	175.8	10.00	29.00	19.00	14.3	0.59		8.4	15	Val	
						65.00	110.00	45.00	**33.8**	**1.02**		**34.4**	70		
					incl.	*65.00*	*80.00*	*15.00*	*11.3*	*1.58*		*17.8*	*55*		
AVA16011	617570.79	7215519.61	223	-55	547.25	347.00	355.00	8.00	6.0	1.95		11.7	290	Exp	
						369.00	376.00	7.00	5.3	1.04		5.5	305		
						384.00	401.00	17.00	12.8	0.88		11.2	320		
						445.00	463.00	18.00	**13.5**	**2.35**		**31.7**	370		
						472.00	487.00	15.00	11.3	0.67		7.5	395		
AVA16012	617571.11	7215519.90	225	-70	794.4	81.00	97.00	16.00	12.0	0.90		10.8	80	Exp	
						202.00	213.00	11.00	8.3	2.80	2.62	23.1	190		top-capped to 20g/t
						428.00	455.00	27.00	20.3	0.70		14.2	405		
AVA16013	617635.16	7215471.80	221	-55	545.9	64.00	82.00	18.00	13.5	0.77		10.4	60	Exp	
						174.00	186.00	12.00	9.0	2.38		21.4	145		
AVA16014	617420.98	7215652.95	219	-55	748.3	207.00	220.00	13.00	7.5	1.11		8.3	175	Exp	
						604.00	612.00	8.00	5.0	2.03		10.2	490		
AVA16015	617395.92	7215638.77	33	-58	200.3	117.00	131.00	14.00	7.5	1.46		11.0	105	Val	
AVA16016	617520.79	7215642.56	37	-56	60.2	18.00	30.00	12.00	7.0	1.46		10.2	20	Val	
AVA16017	617227.16	7215595.44	39	-48	314.1	135.00	162.00	27.00	**19.5**	**1.33**		**25.9**	105	Inf	
						197.00	209.00	12.00	**8.7**	**1.63**		**14.2**	145		
						286.00	292.00	6.00	**4.5**	**3.31**		**14.9**	200		
AVA16018	617757.34	7215522.30	220	-45	414.2	200.00	207.00	7.00	5.0	1.63		8.2	140	Val	
AVA16019	617610.579	7215408.90	50	-46	171.8	149.00	158.00	9.00	7.5	1.89		14.2	105	Val	Additional sampling 2020
AVA16020	617639.882	7215293.70	40	-54	299.6	15.00	22.00	7.00	4.0	1.12		4.5	16	VAL	
						84.00	89.00	5.00	3.0	1.35		4.1	70		
						132.00	135.00	3.00	1.8	2.13		3.8	105		
AVA16021	617737.855	7215204.59	39	-55	161.4	42.00	51.00	9.00	**5.0**	**3.52**		**31.7**	40	Val	
						136.00	140.00	4.00	2.5	2.08		8.3	115		
AVA16022	617321.001	7215549.63	221	-40	447.1	66.80	109.00	42.20	**30.0**	**2.03**		**60.9**	65	Val	
					incl.	66.80	83.00	16.20	11.5	2.81		45.5	55		
					incl.	91.50	94.00	2.50	2.0	2.87		7.2	65		Polymetallic vein **286.4 g/t Ag, 2.67% Pb, 0.62% Zn**
					incl.	100.00	109.00	9.00	6.5	3.28		29.5	75		
						177.00	221.00	44.00	**32.5**	**0.56**		**24.6**	135		
						254.00	272.00	18.00	**13.5**	**1.08**		19.4	180		
AVA16023	617339.067	7215490.12	39	-41	103.28	33.00	54.35	21.35	17.0	**1.18**		**20.1**	28	VAL	

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid	
						60.00	64.00	4.00	**3.2**	**12.62**	**8.94**	**40.4**	39		top-capped to 40g/t
AVA16024	616866.876	7215717.73	36	-45	75	22.00	36.00	14.00	10.0	**1.01**		10.1	20	VAL	
AVA17001	617226.915	7215595.14	41	-62	284.3	215.00	217.00	2.00	1.0	**5.00**		5.0	190	Inf	
						223.00	237.00	14.00	**6.6**	**5.11**		**33.7**	205		
						273.00	277.00	4.00	1.9	1.40		2.7	245		
AVA17002	617404.233	7215567.22	217	-48	466.7	15.00	22.00	7.00	**4.5**	**4.29**	4.02	19.3	15	Inf	top-capped to 20g/t
						102.00	111.00	9.00	6.0	0.72		4.3	80		
						217.00	223.00	6.00	4.0	1.36		5.4	165		
						322.00	325.00	3.00	2.0	2.02		4.0	245		
AVA17003	617226.177	7215594.04	218	-45	360.4	No significant intersections								Exp	
AVA17004	617364.496	7215617.36	223	-47	472.4	69.00	72.00	3.00	**2.0**	**5.46**		10.9	50	Inf	Polymetallic vein 384 **g/t Ag, 1.93% Pb, 2.39% Zn**
						156.00	161.00	5.00	3.4	1.86		6.3	115		
						167.00	172.40	5.40	3.7	2.07		7.7	125		
						214.00	220.00	6.00	4.1	1.25		5.1	160		
AVA17005	617368.100	7215621.69	38	-58	345.4	215.00	224.00	9.00	4.9	0.80		3.9	185	Inf	
AVA17006	617621.446	7215672.65	220	-45	260.1	No significant intersections								Inf	
AVA17007	617348.696	7215727.88	219	-45	626.1	9.00	15.00	6.00	4.4	0.74		3.3	10	Exp	
						152.00	157.00	5.00	3.6	1.09		3.9	105		
						611.00	613.20	2.20	1.8	**5.33**		9.3	410		
AVA17008	617571.705	7215520.92	41	-45	200.7	14.45	17.00	2.55	1.8	1.16		2.0	10	Exp	
						119.00	124.00	5.00	3.4	2.04		6.9	90		
AVA17009	617569.703	7215518.57	221	-62	704.55	284.00	299.00	15.00	**8.1**	**2.17**		17.6	245	Inf	
						306.00	312.00	6.00	3.2	1.12		3.6	260		
						333.00	336.00	3.00	1.6	2.63		4.2	280		Polymetallic Ag= 56.14g/t , Pb= 0.76%, Zn= 0.80%
						356.00	367.00	11.00	5.9	1.53		9.0	300		
AVA17010	617348.909	7215728.14	218	-56	740.7	13.00	19.00	6.00	3.4	2.05		6.9	15	Exp	
						306.00	314.00	8.00	4.1	1.90		7.8	260		
						371.00	378.00	7.00	**3.7**	**9.70**	**9.47**	35.0	320		
AVA17011	617539.547	7215482.27	217	-56	467.2	107.00	115.00	8.00	4.7	0.82		3.8	90	Inf	
						210.00	218.00	8.00	**4.9**	**2.29**		11.1	175		
						376.00	383.00	7.00	4.8	1.88		9.0	300		
						391.00	402.00	11.00	7.6	1.13		8.6	315		
AVA17012	617443.492	7215692.28	221	-58	850.3	51.00	55.00	4.00	2.1	1.11		2.3	45	Inf	
						175.00	179.00	4.00	2.2	2.78		6.1	150		
						291.00	308.00	17.00	9.2	0.83		7.6	250		
AVA17013	617747.030	7215480.63	220	-56	548.9	124.00	132.00	8.00	4.6	1.35		6.2	105	Inf	
						167.00	174.00	7.00	4.0	1.11		4.4	140		
						180.00	192.00	12.00	6.9	1.30		9.0	150		
AVA17014	617716.296	7215444.65	220	-42	243.6	16.00	22.00	6.00	4.7	0.95		4.5	10	Inf	
AVA17015	617571.05	7215221.25	40	-56	296.5	No significant intersections								Inf	
AVA17016	617717.821	7215203.82	38	-47	170	No significant intersections								Inf	
AVA17017	617755.792	7215171.679	40	-65	230.4	96.00	101.00	5.00	2.9	1.66		4.8	80	Inf	
						156.00	167.00	11.00	6.4	0.83		5.3	130		
AVA17018	617800.617	7215147.014	41	-55	230.55	31.40	33.00	1.60	0.9	1.74		1.6	30	Inf	
						219.00	227.00	8.00	**4.6**	**2.59**		11.9	180		
AVA17019	617807.225	7215100.667	39	-55	305	249.00	268.00	19.00	11.5	0.76		8.7	205	Inf	
AVA17020	617462.222	7215654.62	40	-68	175	113.00	116.00	3.00	1.2	1.98		2.4	105	Inf	
AVA17021	617462.599	7215655.04	40	-45	124.6	62.00	65.00	3.00	2.1	2.03		4.3	45	Inf	
AVA17022	617609.319	7215564.72	219	-70	802.8	150.00	152.00	2.00	0.7	6.60		4.6	140	Exp	
AVA17023	617781.982	7215404.07	222	-46	290.4	58.00	67.00	9.00	6.6	0.97		6.4	45	Exp	
AVA17024	617727.977	7215140.75	43	-56	324.2	No significant intersections								Exp	
AVA17025	617128.603	7215629.58	38	-58	476.15	No significant intersections								Exp	
AVA17026	617791.353	7215015.91	40	-58	662.6	423.00	426.10	3.10	2.0	1.56		3.1	340	Exp	
						hole extended =assays pending									
AVA17027	617576.694	7215465.96	37	-45	203	No significant intersection								Exp	

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid
AVA17028	617575.099	7215465.16	37	-58	275.6	108.00	125.00	17.00	9.3	1.28		11.9	100	Exp
						194.00	204.00	10.00	5.6	0.90		5.0	165	
AVA17029	616901.769	7215607.68	37	-45	197.15	95.00	101.00	6.00	4.1	1.65		6.8	70	Exp
AVA17030	617496.665	7215587.80	41	-45	151.85	108.00	122.00	14.00	10.5	0.96		10.1	80	Inf
						150.00	151.85	1.85	1.4	1.28		1.8	100	
AVA17031	616925.719	7215663.05	40	-45	266	10.00	22.00	12.00	8.6	0.46		4.0	10	Exp
AVA17032	617494.894	7215584.83	220	-65	830.8	515.00	527.00	12.00	8.3	1.68		13.9	425	Inf
						673.00	678.00	5.00	3.8	3.40		12.9	530	
AVA17033	616835.786	7215655.81	40	-45	292.7	117.00	125.00	8.00	5.8	0.61		3.5	85	Exp
AVA17034	617245.497	7215770.72	219	-58	707.2	363.00	369.00	6.00	3.2	1.44		4.6	310	Exp
						504.00	516.00	12.00	6.4	0.90		5.8	435	
						558.00	571.00	13.00	7.0	2.44		17.1	480	
AVA18001	617170.824	7215478.46	220	-47	448.3	11.60	29.00	17.40	**11.5**	**2.54**		29.2	15	Exp
						124.00	129.00	5.00	3.3	2.07		6.8	95	
						273.00	274.00	1.00	0.7	12.25		8.6	205	
						303.00	307.00	4.00	2.8	1.78		4.9	225	
AVA18002	617319.674	7215318.69	220	-47	443.5	327.00	330.00	3.00	2.2	1.86		4.1	220	Exp
						440.00	442.00	2.00	1.5	3.96		5.9	295	
AVA18003	617320.514	7215319.43	41	-51	309.4	129.00	135.00	6.00	**3.7**	**2.79**		10.3	105	Exp HG
						253.00	262.00	9.00	**5.7**	**35.72**	**5.58**	203.6	200	
						491.00	**496.00**	**5.00**	**N/A**	**84.00**	**4.38**		385	
					incl.	***491.00***	***491.65***	***0.65***	**N/A**	***647.30***	**34.00**		385	
AVA18004	617320.161	7215319.14	41	-56	371	38.00	41.00	3.00	**1.7**	**2.94**		5.00	30	Exp HG
						215.00	217.00	2.00	1.2	4.31		5.17	175	
						254.00	268.00	14.00	**8.2**	**2.17**		17.79	215	
						299.00	306.00	7.00	4.2	1.74		7.31	250	
						331.00	335.00	4.00	2.4	2.01		4.82	270	
						578.40	590.00	11.60	**N/A**	**3.22**			480	
					incl.	*578.40*	*582.00*	*3.60*	**N/A**	**5.98**			*480*	
						632.00	635.00	3.00		**8.30**			520	
AVA18005	617477.678	7215263.87	41	-54	427.5	290.00	303.00	13.00	**8.2**	**2.30**		18.9	235	Exp HG
AVA18006	617478.224	7215263.72	55	-53	410.6	232.00	256.00	24.00	**14.4**	**3.76**		**54.1**	200	Exp HG
AVA18007	617031.49	7215513.37	40	-63	461.2	No significant intersection								Exp HG
AVA18008	617026.30	7215507.32	222	-47	144	25.00	27.00	2.00	1.4	1.30		1.82	20	Exp HG
						49.00	53.00	4.00	2.7	0.88		2.38	35	
AVA18009	617450.860	7215912.43	220	-46	491.3	418.00	421.00	3.00	2.2	2.72		5.98	290	Exp HG
AVA18010	617790.202	7215017.093	221	-47	413.5	No significant intersection								Exp
AVA18011	617477.652	7215263.213	70	-55	464.3	No significant intersection								Exp HG
AVA18012	617576.070	7215466.81	219	-69	449.8	2.80	23.00	20.20	7.0	1.09		7.63	10	Exp HG
						102.00	119.00	17.00	6.2	1.52		9.42	100	
						154.00	170.00	16.00	**6.2**	**2.76**	**2.35**	17.11	150	
						434.00	440.00	6.00	2.7	1.56		4.21	400	
AVA18013	617748.116	7215480.00	220	-63	434	74.00	102.00	28.00	13.4	1.08		14.47	70	Exp HG
						190.00	211.00	21.00	**10.5**	**3.68**	**2.10**	38.64	175	
						354.00	357.80	3.80	2.0	2.05		4.10	310	
AVA20001	617322.220	7215551.37	34	-65	680.2	72.00	74.00	2.00	0.9	3.41		3.07	70	Inf HG
						122.00	127.00	5.00	2.2	2.59		5.70	115	
						190.00	209.00	19.00	8.6	1.12		9.63	185	
						287.00	296.00	9.00	4.1	0.83		3.40	270	
						380.00	391.00	11.00	5.0	0.84		4.20	345	
AVA20002	617532.280	7215488.41	269	-60	250.4	**139.80**	**151.00**	**11.20**	**7.2**	**5.36**	**2.66**	**38.59**	115	Inf HG
						188.00	220.00	32.00	23.6	1.43		33.75	175	
					incl.	***188.00***	***196.00***	***8.00***	***6.0***	***2.30***		***13.80***	160	
						230.00	232.00	2.00	1.5	1.59		2.39	195	
AVA20003	617532.17	7215487.91	255	-55	246.9	42.00	54.00	12.00	5.4	1.10		5.94	40	Exp HG

top-capped to 30g/t

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid	
						141.00	149.00	8.00	4.9	1.82		8.92	115		
						221.00	228.00	7.00	4.2	2.29		9.62	175		
AVA20004	617205.63	7215452.83	95	-45	248.3	86.00	96.00	10.00	***7.0***	***2.43***		17.01	65	Exp HG	
					incl.	*93.00*	*96.00*	*3.00*	***2.1***	***6.80***		14.28	65		
						130.00	134.00	4.00	2.8	2.06		5.77	90		
AVA20005	617408.22	7215567.18	42	-47	254.9	138.00	143.00	5.00	3.7	1.88		6.96	100	Exp HG	
AVA20006	617409.25	7215564.99	95	-60	346.6	235.00	241.00	6.00	N/A	1.72			210	Exp HG	
						267.00	276.00	9.00	N/A	1.36			235		
						287.00	296.30	9.30	N/A	1.37			255		
AVA20008	617638.71	7215675.83	239	-52	477.8	93.00	109.00	16.00	7.6	0.8		6.1	75	Exp HG	
						317.00	322.00	5.00	2.4	1.36		3.3	235		
						367.00	368.00	1.00	0.5	7.8		3.9	270		
HoleID	**Easting**	**Northing**	**Azimuth (°)**	**Dip (°)**	**DDH length (m)**	**From (m)**	**To (m)**	**CL (m)**	**ETL (m)**	**Au (g/t)**	**TC (g/t)**	**Au x TL**	**Midp. below surface (m)**	**Expansion Reg., Valid**	
CENTRAL															
CNT15001	618587.12	7214822.73	360	-61	535.3	209.40	214.00	4.60	**3.45**	**14.65**	**9.82**	**51**		Exp	top-capped to 40g/t = 4.6m at 9.82g/t Au
						360.00	370.00	10.00	7.50	1.46		10.95			
						423.00	427.00	4.00	3.00	2.72		8.16			
CNT15002	618575.77	7215117.23	360	-65	535.3	202.00	220.00	18.00	13.50	0.77		10.4		Exp	
						334.00	346.00	12.00	**9.00**	**2.81**		**25.3**			
						363.00	402.00	39.00	**29.25**	**1.65**		**48.3**			
						458.00	470.00	12.00	9.00	1.00		9.0			
CNT15003	618680.57	7214828.23	360	-57	589.6	30.00	42.00	12.00	9.00	1.00		9.0		Exp	
						182.00	188.00	6.00	4.50	2.02		9.1			
						218.00	243.00	25.00	**18.75**	**2.09**	**1.95**	**39.2**			
						252.00	276.00	24.00	18.00	1.14		20.5			
						294.00	329.00	35.00	26.25	0.66		17.3			
						373.00	403.00	30.00	**22.50**	**1.20**		**27.0**			
CNT15004	618683.10	7214718.92	360	-52	731.0	291.00	379.00	88.00	**66.00**	**1.00**		**66.0**		Exp	
					incl.	*291.00*	*304.00*	*13.00*	*9.75*	*1.24*		*12.1*			
					incl.	*330.00*	*379.00*	*49.00*	*36.75*	*1.24*		45.6			
						415.00	429.00	14.00	10.50	0.72		7.6			
CNT15005	618735.68	7214866.47	360	-52	420.4	31.00	32.30	1.30	0.97	79.00	**37.45**	77.0		Exp	capped higher to 112 g/t Au
						172.45	201.00	28.55	**21.41**	**1.27**		**27.2**			based on capping less that meter (1 m capping 40 g/t)
						215.00	224.00	9.00	6.75	1.22		8.2			
						253.00	277.00	24.00	18.00	0.90		16.2			
						291.00	310.00	19.00	14.25	1.04		14.8			
CNT15006	618732.37	7214828.68	360	-57	556.5	209.00	274.00	65.00	**48.75**	**0.95**		**46.3**		Exp	
					incl.	*209.00*	*223.00*	*14.00*	*10.50*	*1.54*		*16.2*			
					incl.	*242.00*	*274.00*	*32.00*	*24.00*	*0.93*		*22.3*			
						303.10	321.00	17.90	**13.43**	**1.64**		**22.0**			
						338.10	355.00	16.90	12.68	0.75		9.5			
CNT15007	618732.98	7214685.57	360	-53	724.7	313.00	324.00	11.00	8.25	1.62		13.4		Exp	
						437.00	449.00	12.00	**9.00**	**12.28**	**4.95**	**110.5**	310		top-capped to40g/t = 12m at 4.95g/t Au
					incl.	*448.00*	*449.00*	*1.00*	*0.75*	*128.00*	*40.00*	*96.0*			
CNT15008	618822.33	7214852.72	360	-52	478	110.00	136.00	26.00	19.50	0.51		9.9		Exp	
CNT15009	618829.48	7214671.20	360	-57	700.7	106.00	168.00	62.00	**46.50**	**1.12**		**52.1**	90	Exp	
					incl.	*106.00*	*131.00*	*25.00*	*18.75*	*1.16*		*21.8*			
					incl.	*153.00*	*168.00*	*15.00*	*11.25*	*2.06*		*23.2*			
						383.00	432.00	49.00	**36.75**	**1.15**		**42.3**	300		
					incl.	*414.50*	*432.00*	*17.50*	*13.13*	*2.11*		*27.7*			
CNT15010	618808.49	7215039.78	180	-70	654.7	125.00	139.00	14.00	10.50	1.25		13.1		Exp	
						168.00	198.00	30.00	22.50	0.67		15.1			
						223.00	252.00	29.00	**21.75**	**1.59**		**34.6**	230		
						314.00	339.00	25.00	18.75	0.65		12.2			
						494.00	589.00	95.00	**71.25**	**0.88**		**62.7**	515		

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid							
					incl.	*494.00*	*510.00*	*16.00*	*12.00*	*1.64*		*19.7*									
					incl.	*525.00*	*539.00*	*14.00*	*10.50*	*1.12*		*11.8*									
					incl.	*571.00*	*589.00*	*18.00*	*13.50*	*1.53*		***20.7***									
CNT15011	618932.59	7214676.01	360	-52	439.5	62.00	74.00	12.00	9.00	0.94		8.5		Exp							
						124.00	127.00	3.00	2.25	3.20		7.2									
						364.00	387.00	23.00	17.25	1.14		19.7									
CNT15013	619033.39	7214613.07	333	-55	597.2	97.00	104.00	7.00	5.25	1.25		6.6		Exp							
						238.00	252.00	14.00	10.50	1.07		11.2									
						343.00	345.00	2.00	**1.50**	**33.97**	**21.56**	**51.0**	265		top-capped to 40g/t = 2m at 12.55g/t Au						
						473.50	492.00	18.50	**13.88**	**3.00**		**41.6**	370								
						519.20	526.00	6.80	**5.10**	**5.02**		**25.6**	400								
CNT15014	619035.00	7214540.00	360	-55	667.8	285.00	293.00	8.00	6.00	3.27		19.6		Exp							
						377.00	393.00	16.00	12.00	1.39		16.7									
CNT15015	619132.96	7214600.83	360	-52	522.9	23.00	34.00	11.00	**8.25**	**8.06**		**66.5**	20	Exp							
						76.00	86.00	10.00	**7.50**	**1.65**		12.4									
						231.00	261.00	30.00	22.50	1.00		22.5									
CNT15016	619127.13	7214525.15	360	-55	663.75	270.00	277.00	7.00	**5.25**	**5.06**		**26.6**	215	Exp							
						339.00	451.00	112.00	**84.00**	**2.07**		**173.9**	310								
					incl.	*339.00*	*359.00*	*20.00*	*15.00*	*3.06*		*45.9*									
					incl.	*378.20*	*395.00*	*16.80*	*12.60*	*2.43*		*30.6*									
					incl.	*404.00*	*425.00*	*21.00*	*15.75*	*1.77*		*27.9*									
					incl.	*432.00*	*451.00*	*19.00*	*14.25*	*4.36*		*62.1*									
CNT15017	618859.31	7214895.18	290	-60	902	11.15	29.00	17.85	13.4	0.68		9.1		Exp							
						211.00	219.00	8.00	6.0	1.87		11.2									
						309.00	323.00	14.00	10.5	1.73		18.2									
						386.00	402.00	16.00	12.0	1.22		14.6									
						490.00	504.00	14.00	10.5	1.05		11.0									
						522.00	533.00	11.00	8.3	1.46		12.0									
						490.00	504.00	14.00	10.5	1.05		11.0									
						522.00	533.00	11.00	8.3	1.46		12.0									
						623.00	632.00	9.00	6.8	1.72		11.6	540								
CNT16001	618126.00	7214874.00	40	-50	523.2	247.50	264.00	16.50	12.4	0.80		9.9	185	Exp							
						358.00	380.00	22.00	16.5	0.62		10.2	265								
						403.00	430.00	27.00	20.3	1.80		36.5	300								
						465.00	492.00	27.00	20.3	0.65		13.2	345								
CNT16002	618126.00	7214874.00	40	-63	676.1	207.00	212.00	5.00	3.8	3.06		11.5	185	Exp							
						266.00	278.00	12.00	9.0	1.44		13.0	240								
						380.00	385.00	5.00	3.8	1.47		5.5	335								
						433.00	567.00	134.00	100.5	1.11		111.6	440								
					incl.	*433.00*	*472.00*	*39.00*	*29.3*	*2.41*		*70.5*	*400*								
					incl.	*487.00*	*498.80*	*11.80*	*8.9*	*0.92*		*8.1*	*435*								
					incl.	*514.00*	*529.00*	*15.00*	*11.3*	*1.69*		*19.0*	*460*								
CNT16003	618512.40	7214999.80	38	-53	85.9	27.00	53.00	26.00	19.5	1.78		34.7	30	Val							
						69.50	80.00	10.50	7.9	10.99	4.41	86.5	60		top-capped to 80g/t						
CNT16004	618600.00	7214988.00	220	-54	152.6	32.00	41.00	9.00	6.8	1.60		10.8	30	Val							
						58.00	113.00	55.00	41.3	1.27		52.4	70								
CNT16005	618403.56	7214980.36	52	-49	200.1	11.00	17.00	6.00	4.5	2.60		11.7	10	Val							
						28.00	45.00	17.00	12.8	0.63		8.0	30								
						97.00	102.00	5.00	3.8	1.62		6.1	75								
						116.75	126.00	9.25	6.9	0.87		6.0	90								
						144.00	160.00	16.00	12.0	1.03		12.4	115								
						196.00	200.10	4.10	3.1	1.82		5.6	145								
CNT16006	618599.83	7214987.88	39	-66	276.4	45.00	171.00	126.00	94.5	1.66	1.59	156.9	100	Val							
					incl.	*45.00*	*58.00*	*13.00*	*9.8*	*2.57*											
					incl.	*79.00*	*88.00*	*9.00*	*6.8*	*2.13*											

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid							
					incl.	*95.00*	*111.00*	*16.00*	*12.0*	*1.80*											
					incl.	*123.00*	*138.00*	*15.00*	*11.3*	*1.57*											
					incl.	*142.00*	*171.00*	*29.00*	*21.8*	*3.00*	*2.72*				top-capped to 20g/t						
						188.00	195.00	7.00	5.3	1.31		6.9	175								
CNT16007	618591.02	7215058.65	219	-42	252.8	54.00	66.00	12.00	9.0	0.62		5.6	40	Val							
						85.00	98.00	13.00	9.8	0.72		7.0	60								
						132.00	141.00	9.00	6.8	1.23		8.3	90								
						152.00	192.00	40.00	30.0	1.62		48.6	110								
CNT16008	618440.12	7215011.81	40	-40	110	40.00	46.00	6.00	4.5	1.38		6.2	25	Val							
						63.00	84.00	21.00	15.8	1.08		17.0	45								
CNT16009	618455.23	7214998.97	37	-40	90.9	33.00	62.00	29.00	21.8	1.44		31.3	30	Val							
CNT16010	618611.09	7215041.90	222	-45	175.8	15.00	40.00	25.00	18.8	1.68		31.5	20	Val							
						50.00	87.00	37.00	27.8	1.46		40.5	45								
						100.00	123.00	23.00	17.3	0.80		13.8	80								
						146.00	161.00	15.00	11.3	2.08		23.4	105								
CNT16011	618151.57	7215377.09	180	-52	651.1	351.00	374.00	23.00	11.5	7.90	7.56	90.9	275	Exp							
					incl.	351.00	364.00	13.00	6.5	13.05	12.44	84.8	270								
CNT16012	618639.49	7214999.44	211	-61	151.3	2.70	172.95	170.25	127.7	1.31	1.28	167.3	70	Val	top-capped to 40g/t						
					incl.	*2.70*	*19.00*	*16.30*	*12.2*	*1.21*		*14.8*	*10*								
					incl.	*43.00*	*69.00*	*26.00*	*19.5*	*1.35*		*26.3*	*50*								
					incl.	*77.00*	*82.00*	*5.00*	*3.8*	*3.89*		*14.6*	*70*								
					incl.	*93.00*	*99.00*	*6.00*	*4.5*	*1.69*		*7.6*	*85*								
					incl.	*121.00*	*141.00*	*20.00*	15.0	4.72	4.34	*70.8*	*120*		top-capped to 40g/t						
					incl.	*146.00*	*154.00*	*8.00*	*6.0*	*2.11*		*12.7*									
CNT16013	618674.10	7215038.27	211	-67	227.4	3.00	12.00	9.00	6.8	1.43		9.7	10	Val							
						45.00	97.00	52.00	39.0	3.18	2.85	124.0	65		top-capped to 40g/t						
						133.00	197.00	64.00	48.0	2.69		129.1	155								
						210.00	213.00	3.00	2.3	5.44		12.2	195								
CNT16014	618624.12	7214938.55	39	-51	265.8	20.00	40.00	20.00	15.0	4.94	3.35	74.1	25	VAL	top-capped to 40g/t						
						67.00	107.00	40.00	30.0	3.96	3.65	118.8	65		top-capped to 40g/t						
						142.10	169.00	26.90	20.2	1.02		20.6	120								
						217.00	240.00	23.00	17.3	1.15		19.8	175								
CNT16015	618579.90	7214922.19	40	-49	312.8	29.00	47.00	18.00	12.0	1.70		20.4	30	VAL							
						58.00	67.00	9.00	6.0	2.13		12.8	50								
						83.00	99.00	16.00	10.5	1.35		14.2	70								
						124.00	148.00	24.00	21.0	1.32		27.7	105								
						169.00	174.00	5.00	3.8	2.94		11.0	130								
						191.00	238.00	47.00	31.0	1.55		48.1	160								
						257.00	291.00	34.00	21.0	2.76		58.0	205								
CNT16016	618563.90	7214947.86	43	-61	175.8	7.00	19.00	12.00	9.0	1.22		11.0	10	Val							
						72.00	113.00	41.00	30.8	2.50		76.9	80								
						151.00	175.00	24.00	18.0	1.06		19.1	140								
CNT16017	618455.32	7215132.08	223	-67	632.8	61.70	71.00	9.30	7.0	0.95		6.6	65	Exp							
						388.00	395.70	7.70	5.8	1.92		11.1	360								
						432.00	463.00	31.00	23.3	2.66		61.8	410								
						483.00	492.00	9.00	6.8	0.90		6.1	445								
CNT16018	618559.99	7214978.14	220	-70	152.3	5.80	42.00	36.20	27.2	2.45		66.5	25	Val							
						65.00	74.00	9.00	6.8	2.22		15.0	75								
						94.00	113.00	19.00	14.3	1.38		19.7	95								
						135.00	140.00	5.00	3.8	10.59		39.7	125								
CNT16019	618560.79	7214979.01	39	-52	175.5	10.00	21.00	11.00	8.3	4.26		35.1	10	Val							
						65.00	77.00	12.00	9.0	1.48		13.3	55								
						88.00	100.00	12.00	9.0	1.27		11.4	70								
						113.00	144.00	31.00	23.3	1.75		40.7	100								
						154.00	158.00	4.00	3.0	3.22		9.7	120								

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid							
CNT16020	618494.45	7214978.47	30	-50	115	11.00	29.00	18.00	13.5	1.83		24.7	15	Val							
						98.00	107.00	9.00	6.8	1.11		7.5	80								
CNT16021	618478.20	7215000.53	39	-45	90.9	3.50	16.00	12.50	9.4	0.56		5.3	5	Val							
						73.00	83.00	10.00	7.5	0.89		6.7	55								
CNT16022	618529.24	7215060.51	218	-40	175.1	21.00	76.00	55.00	43.0	1.22		52.5	30	Val							
					inc.	*21.00*	*43.00*	*22.00*	*17.0*	*1.98*		*33.7*	*20*								
						95.00	102.00	7.00	5.5	1.97		10.8	60								
CNT16023	618334.97	7215025.26	40	-50	75.7	No significant intersection								Val							
CNT16024	618283.19	7214827.42	37	-64	745.6	495.00	508.00	13.00	6.5	1.75		11.4	440	Exp							
						526.00	541.00	15.00	7.5	1.10		8.3	470								
CNT16025	618456.33	7215133.06	220	-74	733.1	375.00	390.00	15.00	5.0	1.41		7.1	365	Exp							
						493.00	517.00	24.00	8.5	3.61	3.31	30.7	480		top-capped to 120g/t						
						543.00	578.00	35.00	16.0	0.94		15.0	530								
CNT16026	618494.96	7214691.11	359	-61	700.3	394.00	434.00	40.00	22.0	1.41		31.0	351	Inf							
						480.00	504.00	24.00	13.0	0.89		11.6	415								
						631.00	639.00	8.00	4.5	2.41		10.8	535								
CNT16027	618955.00	7214538.19	354	-45	569.9	191.00	195.00	4.00	3.0	3.29		9.9	135	Inf							
						242.00	245.00	3.00	2.0	4.16		8.3	165								
						273.00	290.00	17.00	13.0	1.49		19.4	190								
						517.00	532.00	15.00	11.5	1.63		18.7	350								
CNT16028	618574.94	7214691.85	358	-57	627	325.00	338.00	13.00	7.5	1.36		10.2	265	Inf							
						350.00	364.00	14.00	8.0	1.07		8.6	295								
						395.00	404.00	9.00	5.0	2.08		10.4	325								
						429.00	443.00	14.00	8.0	1.03		8.2	360								
						524.00	535.00	11.00	6.5	2.89		18.8	435								
CNT16029	618949.00	7214536.90	357	-55	664.2	311.00	321.00	10.00	6.5	1.04		6.8	245	Inf							
						331.00	342.00	11.00	7.0	2.73		19.1	260								
						360.00	379.15	19.15	12.5	1.01		12.6	285								
						423.00	426.00	3.00	2.0	4.63		9.3	328								
						593.00	609.00	16.00	10.5	1.18		12.4	460								
CNT16030	618874.98	7214606.81	357	-45	596.85	412.00	421.00	9.00	7.0	2.02		14.1	275	Inf							
						433.00	443.00	10.00	7.5	1.98		14.9	285								
CNT16031	618874.99	7214606.22	358	-58	601.1	259.00	269.00	10.00	6.0	1.62		9.7	220	Inf							
						303.00	319.00	16.00	9.5	1.21		11.5	260								
						459.00	464.00	5.00	3.0	4.71		14.1	375								
						484.00	488.00	4.00	2.5	1.80		4.5	395								
						497.00	506.00	9.00	5.5	3.73		20.5	410								
CNT16032	618952.36	7214537.01	36	-55	607.1	351.00	363.00	12.00	7.5	0.98		7.4	275	Inf							
						463.00	555.00	92.00	62.0	1.63		101.1	390								
CNT16033	618714.76	7214614.34	357	-50	610.8	447.00	456.00	9.00	6.6	1.58		10.4	320	Inf							
CNT17001	618639.61	7214999.67	215	-61	194.2	4.00	13.50	9.50	4.5	2.09		9.4	8	Twin							
						28.00	33.00	5.00	2.4	1.79		4.3	25								
						45.00	51.00	6.00	2.9	1.53		4.4	40								
						63.00	137.00	74.00	**35.0**	**1.56**		**54.6**	90								
						146.00	154.00	8.00	3.8	1.82		6.9	130								
						172.95	189.00	16.05	7.7	1.66		12.8	160								
CNT17002	618151.06	7215377.202	181	-45	601.9	349.00	354.00	5.00	3.7	1.85		6.8	240	Exp							
						445.00	466.00	21.00	15.0	0.88		13.2	300								
CNT17003	618126.28	7214873.29	341	-52	581.5	304.00	315.00	11.00	7.0	0.80		5.6	240	Exp							
						322.00	335.00	13.00	8.3	0.64		5.3	255								
						399.00	408.00	9.00	5.8	0.99		5.7	315								
CNT17004	618126.38	7214873.09	341	-58	565.3	353.00	370.00	17.00	9.6	1.47		14.1	300	Exp							
						541.00	548.00	7.00	4.0	1.28		5.1	450								
CNT17005	618151.09	7215378.45	180	-62	668.6	462.00	466.00	4.00	2.1	1.30		2.7	400	Exp							
						527.00	531.00	4.00	2.1	1.07		2.2	455								

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid							
CNT17006	618376.11	7215290.54	222	-50	617.8	340.00	365.00	25.00	**16.6**	**5.34**		**88.6**	265	Exp							
						507.00	529.00	22.00	**14.8**	**2.51**	**2.33**	**37.1**	390								
CNT17007	618376.31	7215290.73	219	-58	775.2	421.90	427.00	5.10	3.0	1.74		5.2	350	Exp	top-capped to 40g/t						
						547.00	554.00	7.00	4.1	**4.33**		17.8	450								
CNT17008	618409.62	7215187.64	218	-54	600.95	343.00	351.25	8.25	5.1	2.11		10.8	270	Inf							
						402.00	412.00	10.00	6.2	1.25		7.8	315								
						446.00	455.00	9.00	5.6	1.05		5.9	350								
						463.00	473.00	10.00	6.3	0.82		5.2	365								
CNT17009	618493.83	7214977.82	41	-60	385	24.00	35.40	11.40	5.9	1.45		8.6	25	Inf							
						58.00	67.00	9.00	4.7	1.63		7.7	50								
						212.00	220.00	8.00	4.2	1.50		6.3	175								
						234.00	240.00	6.00	3.1	2.59		8.0	190								
CNT17010	618409.84	7215187.88	220	-74	776.6	171.00	182.00	11.00	3.4	1.11		3.8	170	Exp							
						355.00	361.00	6.00	1.8	1.44		2.5	345								
						373.00	379.00	6.00	1.8	1.48		2.6	360								
						406.00	428.00	22.00	6.5	1.42		9.2	400								
						601.00	612.00	11.00	3.5	1.03		3.6	580								
CNT17011	618587.909	7214823.832	40	-45	436.1	219.00	226.00	7.00	5.2	2.33		12.1	150	Inf							
						234.00	243.00	9.00	**6.7**	**4.15**		27.8	160								
						285.00	304.00	19.00	**14.3**	**2.73**		39.0	200								
CNT17012	618495.81	7214691.80	40	-50	625.9	94.00	102.00	8.00	5.4	1.27		6.9	75	Inf							
						301.00	311.00	10.00	7.3	1.22	.	8.8	220								
						362.00	381.75	19.75	**14.5**	**5.07**	**4.50**	73.5	265								
						439.00	442.00	3.00	2.2	2.11		4.6	310								
						489.00	497.00	8.00	6.0	2.10		12.6	345								
						515.50	534.00	18.50	**13.9**	**1.96**		27.2	365								
CNT17013	618457.14	7215134.383	220	-58	575.7	**56.00**	**74.00**	**18.00**	**15.0**	**1.68**		**25.2**	**60**	Inf	Additional sampling 2020						
						70.80	75.00	4.20	2.3	2.64		6.1	60								
						132.00	137.00	5.00	2.8	0.95		2.6	115								
						170.00	**172.00**	**2.00**	**1.5**	**3.00**		**4.5**	**150**		Additional sampling 2020						
						335.00	340.00	5.00	2.8	1.59		4.5	280								
						377.00	388.00	11.00	6.3	2.03		12.7	320								
						420.00	428.00	8.00	4.6	1.08		5.0	350								
CNT17014	618495.57	7214691.57	41	-56	725.3	429.00	437.00	8.00	4.9	1.72		8.4	345	Exp							
						559.00	568.00	9.00	5.8	2.73		15.7	445								
						575.00	581.00	6.00	3.8	2.54		9.7	460								
						588.00	594.00	6.00	3.9	2.37		9.1	470								
CNT17015	618457.40	7215134.71	221	-74	765	375.00	380.00	5.00	1.7	3.16		5.4	355	Inf							
						395.00	401.00	6.00	2.0	1.67		3.3	375								
						507.00	520.00	13.00	4.5	1.23		5.5	495								
						567.00	602.00	35.00	**12.0**	**2.33**	**2.30**	28.0	535								
CNT17016	618150.61	7215384.35	221	-52	601.6	415.00	426.00	11.00	7.3	1.41		10.3	325	Exp							
						432.00	439.00	7.00	4.6	0.94		4.3	335								
						539.00	548.00	9.00	6.3	1.29		8.1	360								
CNT17017	618614.86	7215120.66	218	-58	512.1	277.00	302.00	25.00	**15.8**	**1.29**		20.4	235	Infi							
						350.00	380.00	30.00	**20.3**	**2.34**		47.5	295								
CNT17018	618615.00	7215120.86	218	-64	659.65	243.75	254.00	10.25	4.7	1.20		5.6	220	Inf							
						299.00	315.00	16.00	7.5	1.29		9.7	275								
						425.00	437.00	12.00	**5.8**	**3.68**		21.3	380								
						474.00	487.00	13.00	**6.4**	**2.43**		15.6	425								
						540.00	546.00	6.00	3.0	2.04		6.1	480								
						569.00	577.00	8.00	4.0	1.25		5.0	505								
CNT17019	618614.72	7215120.47	218	-50	450.5	148.00	165.00	17.00	11.3	0.85		9.6	115	Inf							
						250.00	257.00	7.00	4.6	1.83		8.4	185								
						280.00	292.00	12.00	8.0	1.85		14.8	210								
CNT17020	618529.80	7215097.77	221	-74	749	275.00	281.00	6.00	1.8	1.38		2.4	265	Exp							

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid
						288.00	295.00	7.00	2.1	1.17		2.5	280	
						333.00	340.00	7.00	2.1	1.16		2.4	320	
						430.00	433.00	3.00	0.9	3.08		2.8	410	
						450.00	457.00	7.00	2.2	1.35		3.0	430	
						619.00	640.00	21.00	**6.7**	**2.96**		19.8	600	
						660.00	670.00	10.00	3.2	1.89		6.0	635	
CNT17021	618675.06	7215074.99	218	-65	626	56.00	60.00	4.00	1.9	1.25		2.4	50	Exp
						94.00	112.00	18.00	**8.7**	**2.63**		22.9	90	
					inc.	*94.00*	*101.00*	*7.00*	*3.4*	*5.60*		19.0	85	
						122.00	136.00	14.00	6.7	1.15		7.7	115	
						143.00	148.00	5.00	2.4	2.00		4.8	130	
						335.00	351.00	16.00	7.6	1.28		9.7	300	
						377.00	409.00	32.00	**15.4**	**1.53**		23.6	345	
						458.00	464.80	6.80	3.3	2.51		8.3	405	
CNT17022	618412.04	7214706.11	40	-54	709.5	417.00	422.00	5.00	3.4	1.94		6.6	325	Exp
						446.00	451.00	5.00	3.4	4.84		16.5	345	
						518.00	530.00	12.00	**8.3**	**3.14**		25.9	400	
						assays pending								
CNT17023	618497.70	7214693.94	41	-40	244.05	Hole abandoned due to ground problems, new hole = CNT17025								Inf
CNT17024	618412.46	7214706.63	40	-42	587	123.00	127.00	4.00	3.2	1.43		4.6	80	Inf
						349.85	354.00	4.15	3.5	2.45		8.6	210	
						401.00	414.00	13.00	11.0	1.47		16.2	240	
						421.00	427.00	6.00	5.0	1.32		6.6	250	
						442.00	447.00	5.00	4.2	1.36		5.7	260	
						457.00	461.00	4.00	3.4	2.41		8.2	270	
						470.00	489.40	19.40	**16.4**	**1.49**		24.4	280	
CNT17025	618501.33	7214696.33	40	-46	595.25	80.00	86.00	6.00	4.4	1.65		7.3	55	Inf
						402.00	409.00	7.00	5.4	1.68		9.1	270	
						467.00	472.00	5.00	3.9	1.74		6.8	310	
						485.00	506.00	21.00	**16.2**	**2.44**		**39.5**	325	
CNT17026	618714.95	7214614.65	360	-65	898.2	605.00	624.00	19.00	8.9	1.57		14.0	550	Exp
						689.00	695.00	6.00	2.8	1.32		3.7	620	
						736.00	742.00	6.00	2.8	1.27		3.6	660	
						781.00	786.00	5.00	**2.4**	**7.16**		17.2	700	
						825.00	840.00	15.00	**7.0**	**2.30**		16.1	740	
CNT17027	618873.23	7214719.46	325	-62	680.05	134.00	142.00	8.00	3.9	2.02		7.9	120	Exp
						420.00	427.00	7.00	**3.6**	**5.17**		18.6	370	
						466.00	472.00	6.00	3.1	3.71		11.5	405	
						589.00	596.00	7.00	3.7	1.89		7.0	515	
						626.00	648.00	22.00	**11.6**	**2.51**		29.1	550	
CNT17028	618714.84	7214614.93	40	-66	1086.2	437.00	453.00	16.00	7.3	2.39		17.4	400	Exp
						472.00	479.00	7.00	4.0	2.39		9.6	430	
						561.00	570.00	9.00	4.1	2.01		8.2	510	
						615.00	627.00	12.00	**5.5**	**3.29**		18.1	550	
						733.00	747.00	14.00	6.6	2.05		13.5	660	
						784.00	794.00	10.00	4.7	1.63		7.7	705	
						803.00	809.00	6.00	2.9	2.72		7.9	720	
						908.00	924.00	16.00	7.8	2.08		16.2	815	
						942.00	946.00	4.00	1.9	4.03		7.7	840	
						977.00	989.00	12.00	**5.9**	**3.61**		21.3	875	
CNT17029	618873.41	7214720.00	360	-56	481.45	358.00	377.00	19.00	**11.3**	**1.78**		20.1	295	Inf
CNT17030	618794.30	7214614.85	360	-61	690	258.00	265.00	7.00	3.7	2.21		8.2	225	Inf
						311.00	336.00	25.00	13.4	1.23		16.5	275	
						366.00	378.00	12.00	**6.5**	**2.37**		15.4	320	
						390.00	396.00	6.00	3.2	1.87		6.0	335	
						536.00	543.00	7.00	3.9	1.38		5.4	460	

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid
						600.00	604.80	4.80	2.7	2.16		5.8	510	
CNT17031	618409.30	7215188.08	245	-45	562.8	140.00	148.00	8.00	5.6	1.53		8.6	100	Exp
CNT17032	618267.07	7214949.98	40	-57	462.9	380.00	388.00	8.00	4.4	1.30		5.7	320	Inf
						438.00	445.00	7.00	3.9	2.63		10.3	370	
CNT18001	618310.83	7215262.03	221	-46	498.5	399.00	403.00	4.00	**2.7**	**2.30**		6.2	290	Exp HG
CNT18002	618412.29	7214706.57	29	-58	769.5	161.00	166.00	5.00	2.5	1.92		4.8	140	Exp HG
						425.00	477.00	52.00	28.0	0.72		20.2	380	
						507.00	514.00	7.00	**3.8**	**2.77**		10.5	430	
						518.00	531.00	13.00	**7.2**	**2.80**		20.2	445	
						539.00	546.00	7.00	3.9	1.18		4.6	460	
						552.00	565.00	13.00	**6.7**	**2.02**		13.5	470	
						676.00	680.00	4.00	2.2	1.69		3.7	570	
CNT18003	618310.63	7215263.81	198	-71	779	307.00	308.00	1.00	0.3	10.30		3.40	290	Exp HG
						434.00	444.00	10.00	**3.4**	**2.74**		9.32	415	
						548.00	550.00	2.00	0.7	5.72		4.00	520	
						571.00	574.00	3.00	1.0	2.25		2.25	540	
CNT18004	618284.88	7214748.49	45	-61	914	738.00	741.00	3.00	**1.7**	**7.17**		12.19	625	Exp HG
						756.00	760.00	4.00	2.4	1.99		4.78	640	
CNT18005	617910.45	7215079.61	53	-62	479.90	201.00	208.00	7.00	3.3	2.57		8.48	180	Exp HG
						293.00	298.00	5.00	**2.3**	**4.71**		10.83	260	
CNT18006	617992.96	7215027.99	38	-45	308.20	54.00	68.00	14.00	9.4	0.77		7.24	45	Exp HG
						79.00	82.00	3.00	**2.0**	**11.12**		**22.24**	60	
CNT18007B	618659.57	7215111.19	224	-71	938.00	165.00	176.00	11.00	4.1	1.79		7.34	160	Exp HG
						196.00	209.00	13.00	4.8	1.59		7.63	190	
						250.00	256.00	6.00	2.2	2.13		4.69	240	
						272.00	277.00	5.00	1.8	1.76		3.17	260	
						316.00	344.00	28.00	10.3	1.00		10.30	310	
						420.00	425.50	5.50	1.8	2.35		4.23	395	
						448.70	456.00	7.30	2.4	1.78		4.27	425	
						469.00	480.00	11.00	3.7	2.30		8.51	445	
						488.00	495.00	7.00	2.3	2.35		5.41	460	
CNT18008	618661.89	7214962.99	270	-47	125.10	35.00	50.00	15.00	15.0	1.22		18.30	30	Infill
						67.00	125.10	58.10	**58.1**	**1.37**		79.60	65	
CNT18009	618661.85	7214942.91	271	-47	124.65	66.00	123.00	57.00	**57.0**	**1.60**		91.20	65	Infill
CNT18010	618663.37	7214983.13	270	-47	134.40	15.00	34.00	19.00	**19.0**	**1.27**		24.13	20.00	Infill
						56.00	60.00	4.00	**4.0**	**3.57**		14.28	40.00	
						74.00	127.00	53.00	**53.0**	**1.03**		54.59	75	
CNT18011	618144.21	7214322.53	40	-47	250.50	No significant intersection								Exp
CNT18012	618974.03	7214664.27	329	-52	551.40	148.00	151.00	3.00	1.6	2.40		3.84	110	Exp HG
						437.00	444.00	7.00	4.4	1.95		8.58	320	
						458.00	483.00	25.00	15.9	1.79		28.46	345	
CNT20001	617936.85	7215128.08	32	-45	151.6	68.00	70.00	2.00	1.5	2.55		3.83		
CNT20002	617933.39	7215053.06	45	-59	350.3	No significant anomalous Au or base metal grades								
CNT20003	618121.04	7215095.03	211	-45	170	82.80	97.00	14.20	10.7	0.54		5.78	60	Exp
CNT20004	618202.88	7215177.42	197	-53	361.3	166.00	173.00	7.00	4.8	0.79		3.79	140	Exp
						183.00	185.00	2.00	1.4	1.44		2.02	145	
						218.60	224.00	5.40	3.7	2		7.4	175	
CNT20005	618034.38	7215266.76	218	-67	351.7	No significant anomalous Au or base metal grades								Exp
CNT20006	618168.86	7215076.98	195	-45	245.3	162.00	168.00	6.00	4.4	4.69		20.6	120	Exp
					Incl.	*163.00*	*166.00*	*3.00*	*2.2*	*8.96*		*20.0*	*120*	
HoleID	**Easting**	**Northing**	**Azimuth (°)**	**Dip (°)**	**DDH length (m)**	**From (m)**	**To (m)**	**CL (m)**	**ETL (m)**	**Au (g/t)**	**TC (g/t)**	**Au x TL**	**Midp. below surface (m)**	**Expansion Reg., Valid**
SKIRÅSEN														
SKI15001	619125.38	7214598.37	40	-48	580.4	79.00	84.00	5.00	3.75	1.79		6.7		Exp
						271.00	310.00	39.00	29.25	0.63		18.4		

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid	
						323.00	384.00	61.00	**45.75**	**1.94**	**1.74**	**88.8**	260		top-capped to 30g/t = 61m at 1.74g/t Au
					incl.	*323.00*	*341.00*	*18.00*	***13.50***	***3.61***		***48.7***			
						405.00	434.00	29.00	**21.75**	**1.42**		**30.9**	310		
						421.00	434.00	13.00	**9.75**	**2.00**		19.5			
SKI16001	619222.00	7214515.00	40	-50	556.55	101.00	108.00	7.00	**5.25**	**4.85**		25.5	75	Exp	
						120.00	140.00	20.00	**15.00**	**3.92**		**58.8**	95		
					incl	*130.85*	*140.00*	*9.15*	***6.86***	***7.07***	***6.66***	***48.5***			top-capped to 30g/t = 9.15m at 6.66g/t Au
						179.00	187.00	8.00	6.00	2.46		14.8			
						276.00	312.10	36.10	**27.08**	**3.65**	**2.61**	**98.8**	210		top-capped to 30g/t = 36.1m at 2.61g/t Au
					incl	*276.00*	*296.30*	*20.30*	***15.2***	***4.87***	***4.07***	***74.1***			top-capped to 30g/t = 20.3m at 4.07g/t Au
SKI16002	619249.98	7214410.81	40	-55	899.3	414.00	419.00	5.00	3.8	3.15		11.8	330	Exp	
						515.00	531.00	16.00	12.0	1.10		13.2	415		
						857.00	882.00	25.00	**13.0**	**2.15**		28.0	695		
SKI16003	619189.05	7214738.15	142	-45	486.5	40.00	44.00	4.00	3.0	2.70		8.1			
						130.00	145.00	15.00	11.3	0.80		9.0			
						154.00	185.75	31.75	23.8	1.13		**26.9**			
						249.00	257.00	8.00	6.0	1.10		6.6			
SKI16004	619245.38	7214423.59	220	-48		No anomalous Au grades								Exp	
SKI16005	619220.92	7214515.71	360	-57		193.00	213.00	20.00	15.0	1.19		17.9	170	Exp	
						365.00	379.00	14.00	10.5	1.15		12.1			
						399.00	504.00	105.00	**78.8**	**1.25**		**98.4**	370		
					incl.	*399.00*	*419.00*	*20.00*	*15.0*	*1.32*		*19.8*			
					incl.	*431.00*	*451.00*	*20.00*	*15.0*	*1.90*		*28.5*			
					incl.	*456.00*	*476.00*	*20.00*	*15.0*	*1.99*		*29.9*			
					incl.	*482.00*	*504.00*	*22.00*	*16.5*	*0.80*		*13.2*			
						593.00	609.00	16.00	12.0	1.86		22.3	485		
SKI16006	619154.79	7214504.69	40	-51	788.1	279.00	303.50	24.50	18.4	1.08		19.8		Exp	
						461.00	471.00	10.00	7.5	2.51		18.8			
						551.00	644.00	93.00	**69.8**	**1.31**		**91.4**	445		
					incl.	*556.30*	*582.00*	*25.70*	*19.3*	*2.17*		*41.8*			
					incl.	*615.00*	*644.00*	*29.00*	*21.8*	*1.39*		*30.2*			
SKI16007	619154.59	7214504.53	40	-59	*882.1*	364.00	408.00	44.00	**33.0**	**4.08**	**2.17**	**134.6**	310	Exp	top-capped to 30g/t
					incl.	*364.00*	*374.00*	*10.00*	*7.5*	*13.79*	*5.38*	*103.4*			
					incl.	*387.00*	*408.00*	*21.00*	*15.8*	*1.72*		*27.1*			
						496.00	518.40	22.40	16.8	2.24		37.6	410		
						542.00	544.00	2.00	1.5	10.28		15.4	440		
						560.00	570.00	10.00	7.5	6.11	3.19	45.8	455		top-capped to 60g/t
						670.00	690.00	20.00	15.0	0.70		10.5	550		
						714.00	729.00	15.00	11.3	0.74		8.3	580		
SKI16008	619178.64	7214519.22	3	-55	551.2	361.00	471.00	110.00	**69.0**	**1.82**	**1.72**	**125.6**	327	Inf	top-capped to 30g/t
					incl.	*361.00*	*403.00*	*42.00*	***26.0***	***2.32***	***2.05***	***60.3***	300		top-capped to 30g/t
					incl.	*415.00*	*458.00*	*43.00*	***27.0***	***2.16***		***58.3***	345		
SKI16009	619083.22	7214531.54	357	-55	516.2	303.00	317.00	14.00	8.5	0.94		8.0	250	Inf	
						419.00	436.00	17.00	10.5	1.22		12.8	340		
SKI16010	619085.11	7214530.99	40	-50	739.2	243.00	249.00	6.00	**4.0**	**33.46**	**8.16**	**133.8**	180	Inf	top-capped to 30g/t
						285.00	290.00	5.00	**3.5**	**13.29**	**8.06**	**46.5**	210		top-capped to 30g/t
						350.00	528.00	178.00	**125.0**	**1.68**	**1.57**	**210.0**	320		top-capped to 30g/t
					incl.	*350.00*	*371.00*	*21.00*	***14.5***	***1.57***		***22.8***	265		
					incl.	*378.00*	*388.00*	*10.00*	*7.0*	*1.43*		*10.0*	280		
					incl.	*420.00*	*428.00*	*8.00*	***5.5***	***9.55***	***6.90***	***52.5***	310		top-capped to 30g/t
					incl.	*437.00*	*504.00*	*67.00*	***47.0***	***1.35***		***63.5***	345		
					incl.	*513.00*	*528.00*	*15.00*	***11.0***	***4.80***		***52.8***	380		
						625.00	627.00	2.00	**1.5**	**8.00**		**12.0**	455		
SKI16011	619300.17	7214521.90	360	-45	501	59.00	66.00	7.00	5.0	1.76		8.8	40	Inf	
						109.00	119.00	10.00	**7.5**	**3.68**		**27.6**	75		

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid							
						192.00	211.00	19.00	**14.3**	**6.42**	**2.74**	**91.5**	135		top-capped to 30g/t						
						347.00	352.00	5.00	3.8	3.04		11.4	230								
						423.00	425.00	2.00	1.5	8.58		12.9	280								
SKI16012	619300.08	7214520.56	356	-63	688.3	248.00	263.00	15.00	7.5	2.69		20.2	225	Inf							
						293.00	308.00	15.00	**7.5**	1.12		8.4	265								
						386.00	413.00	27.00	**14.0**	**3.11**		**43.5**	320								
						494.00	525.00	31.00	**16.0**	**0.99**		15.8	400								
						534.00	560.00	26.00	**14.0**	**5.01**	**2.88**	**70.1**	420		top-capped to 30g/t						
						652.00	659.00	7.00	**3.8**	3.56		13.4	492								
SKI16013	619300.99	7214522.17	38	-45	553.2	159.00	185.00	26.00	**19.5**	**4.00**	**2.04**	**78.0**	120	Inf	top-capped to 30g/t						
						252.00	263.00	11.00	8.5	1.19		10.1	175								
						287.00	333.00	46.00	**35.0**	**1.96**		**68.6**	205								
						362.00	372.00	10.00	7.7	1.92		14.8	245								
						517.00	524.00	7.00	5.4	1.72		9.3	340								
SKI16014	619319.07	7214359.03	40	-45	879.6	601.30	625.00	23.70	19.5	0.54		10.5	370	Exp							
SKI16015	619300.00	7214521.00	40	-58	825.5	190.00	222.00	32.00	17.0	0.79		13.4	165	Inf							
						274.00	280.00	6.00	3.2	2.12		6.8	220								
						289.00	333.00	44.00	23.0	0.70		16.1	245								
						362.00	369.00	7.00	3.7	3.65		13.5	290								
						383.00	414.00	31.00	**16.5**	**2.29**		**37.8**	315								
						449.00	462.00	13.00	7.0	1.28		9.0	360								
						561.00	576.00	15.00	8.0	1.12		9.0	455								
						713.00	719.00	6.00	3.5	2.87		10.0	591								
SKI17001	619221.00	7214516.00	360	-47	525.1	98.00	125.00	27.00	19.5	1.01		19.7	75	Inf							
						199.00	217.00	18.00	13.5	1.49		20.1	145								
						278.00	287.00	9.00	7.0	1.58		11.1	195								
						321.00	350.00	29.00	**22.2**	**2.40**		**53.3**	225								
						421.00	427.00	6.00	4.7	1.15		5.4	280								
SKI17002	619427.07	7214352.69	37	-45	743.8	700.00	707.00	7.00	5.4	0.88		4.8	475	Exp							
SKI17003	619300.55	7214519.55	327	-54	771.5	160.00	174.00	14.00	8.5	1.32		11.2	135	Inf							
						211.00	215.00	4.00	3.0	2.76		8.3	150								
						294.00	315.00	21.00	**12.5**	**3.09**		**38.6**	245								
						398.00	414.00	16.00	**9.5**	**3.51**		**33.3**	330								
						434.00	476.00	42.00	**24.8**	**2.06**		**51.0**	370								
						517.00	567.00	50.00	**29.7**	**3.10**	**2.89**	**92.1**	445		top-capped to 30g/t						
					incl.	*517.00*	*544.00*	*27.00*	***14.8***	***3.24***	***2.85***	***48.0***	*432*								
					incl.	*555.00*	*567.00*	*12.00*	***7.2***	***5.36***		***38.6***	*460*								
						596.00	600.00	4.00	**2.5**	**60.18**	**14.68**	**150.5**	490		capped higher to 51 g/t Au						
						744.00	752.00	8.00	5.0	1.07		5.4	595		based on capping less that meter (1 m capping 30 g/t)						
SKI17004	619221.00	7214516.00	360	-62	645.4	246.08	248.00	1.92	**1.0**	**24.87**	**16.45**	**24.9**	210	Inf	top-capped to 60g/t						
						293.00	306.10	13.10	**7.0**	**3.12**		**21.8**	255								
						320.00	344.00	24.00	13.0	1.10		14.3	285								
						403.00	426.00	23.00	**12.8**	**2.07**		**26.4**	350								
						434.00	446.00	12.00	6.7	1.40		9.4	370								
						470.00	491.00	21.00	**12.0**	**2.65**		**31.8**	405								
						496.00	528.00	32.00	**18.4**	**1.47**		**27.0**	430								
					assays pending																
SKI17005	619177.99	7214515.28	6	-61	595.4	307.00	313.00	6.00	3.0	2.12		6.4	270	Inf							
						346.00	351.00	5.00	2.5	3.80		9.5	305								
						410.00	413.00	3.00	**1.5**	**11.98**		**18.0**	360								
						434.00	457.00	23.00	**17.0**	**1.85**		**31.5**	390								
						469.00	487.00	18.00	**9.0**	**2.04**		**18.4**	415								
						498.00	504.00	6.00	3.0	2.69		8.1	435								
						510.00	519.00	9.00	5.0	1.53		7.7	450								
						543.00	559.00	16.00	8.2	1.91		15.7	480								

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid							
						572.00	586.00	14.00	7.3	1.20		8.8	505								
SKI17006	619034.98	7214539.45	360	-45	583.6	257.00	272.00	15.00	**10.6**	**2.08**		22.0	190	Inf							
						374.00	378.45	4.45	3.2	5.86		18.8	265								
						468.00	477.00	9.00	6.5	2.75		17.9	330								
SKI17007	619127.10	7214524.20	2	-43	483.8	326.00	340.75	14.75	11.2	1.04		11.6	225	Inf							
						386.90	388.00	1.10	**0.5**	**101.70**	**29.97**	50.9	260		capped higher to 51 g/t Au						
SKI17008	619032.72	7214613.45	332	-58	701.7	144.00	152.00	8.00	4.4	1.39		6.1	125	Exp	based on capping less that meter (1 m capping 30 g/t)						
						171.00	182.00	11.00	6.0	1.53		9.2	150								
						275.00	280.00	5.00	2.8	2.14		6.0	230								
						296.00	310.00	14.00	**7.7**	**2.12**		16.3	255								
						395.00	404.00	9.00	**5.0**	**7.56**		37.8	330								
						481.00	490.00	9.00	5.2	1.56		8.1	405								
						512.00	526.10	14.10	**8.2**	**2.04**		16.6	430								
						662.90	664.00	1.10	0.7	9.97		6.5	550								
SKI17009	619032.85	7214613.19	332	-70	924	211.00	218.00	7.00	2.3	1.80		4.1	200	Exp							
						249.00	295.00	46.00	15.0	0.96		14.4	250								
						353.00	359.00	6.00	2.0	3.39		6.8	335								
						377.00	416.00	39.00	**11.0**	**2.02**		**22.2**	370								
						517.00	526.00	9.00	3.0	4.04		12.1	490								
						741.00	836.00	95.00	**33.0**	**1.63**		**53.8**	745								
					incl	*741.00*	*771.00*	*30.00*	*10.2*	*2.10*		21.4	710								
					incl	*799.00*	*836.00*	*37.00*	*12.7*	*1.86*		23.6	770								
SKI17010	619124.27	7214599.84	330	-47	344.4	297.00	309.00	12.00	8.7	0.63		5.5	210	Inf							
						330.00	334.00	4.00	3.0	2.50		7.5	230								
SKI17011	619124.99	7214599.56	341	-62	604.5	172.00	188.00	16.00	7.6	1.24		9.4	160	Inf							
						256.00	269.00	13.00	**6.3**	**2.49**		15.7	230								
						312.00	326.00	14.00	**6.8**	**1.89**		12.9	280								
						383.00	432.00	49.00	**24.0**	**2.02**		48.5	360								
						443.00	458.00	15.00	7.1	1.53		10.9	395								
						503.00	511.00	8.00	3.8	1.37		5.2	445								
						580.00	584.00	4.00	2.0	**6.78**		13.6	510								
SKI17012	619199.52	7214627.95	328	-57	132.4	36.00	39.00	3.00	1.8	3.29		5.8	30	Inf							
						75.00	81.00	6.00	3.5	2.03		7.1	65								
SKI17013	619032.38	7214614.03	332	-45	545.2	92.00	97.00	5.00	3.6	2.23		8.0	65	Inf							
						161.00	165.00	4.00	3.0	2.77		8.3	110								
						458.00	479.00	21.00	**16.0**	**2.73**		43.7	315								
SKI17014	619201.21	7214625.31	331	-57	851.9	39.00	46.00	7.00	4.1	2.66		10.9	35	Inf							
						73.00	85.00	12.00	7.0	1.13		7.9	65								
						239.00	251.00	12.00	7.1	1.37		9.7	200								
						287.00	293.00	6.00	3.6	1.86		6.7	235								
SKI17015	619034.21	7214541.36	41	-62	895.9	501.00	509.30	8.30	4.4	3.98		17.5	435	Inf							
						514.00	530.00	16.00	8.5	1.63		13.9	450								
						570.00	587.00	17.00	9.2	1.49		13.7	495								
						599.00	610.00	11.00	**6.0**	**4.18**		25.1	520								
						625.00	636.00	11.00	6.0	2.05		12.3	540								
						648.00	670.00	22.00	**12.0**	**1.88**		22.6	565								
						718.00	722.00	4.00	2.2	3.96		8.7	615								
SKI17016	619201.37	7214625.03	330	-67	815.8	43.00	75.00	32.00	12.5	0.63		7.9	55	Inf							
						179.90	186.00	6.10	**2.3**	**5.92**		13.6	170								
						252.00	289.00	37.00	**14.7**	**2.48**		**36.5**	250								
						333.00	420.00	87.00	**35.0**	**1.98**		**69.3**	345								
						442.00	466.00	24.00	**10.0**	**2.14**		**21.4**	415								
					inc	*453.00*	*466.00*	*13.00*	**5.4**	**3.17**		17.1	*420*								
						472.00	485.00	13.00	5.4	1.02		5.5	435		Also anomalous in Ag (14m @ 32.27g/t Ag) and Sb (14m @ 481.4g/t Sb)						
						495.00	509.00	14.00	**5.8**	**12.60**	**5.55**	**73.1**	460		top-capping to 30g/t Au						

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid	
						692.00	710.00	18.00	**7.5**	**1.08**		**8.1**	620		
SKI18001	619350.74	7214411.46	39	-57	610.3	428.00	444.00	16.00	9.3	0.48		4.5	355	Exp HG	
						589.40	598.00	8.60	5.0	0.66		**3.3**	480		
SKI18002	619350.76	7214412.19	20	-54	701.3	355.00	359.00	4.00	2.5	2.17		5.43	285	Exp HG	
						377.00	386.00	9.00	**5.6**	**3.76**		**21.06**	300		
						478.00	488.00	10.00	6.3	1.59		10.02	380		
						509.00	516.00	7.00	4.4	2.07		9.11	400		
						600.00	610.00	10.00	6.5	1.62		10.53	470		
						690.00	692.00	2.00	1.3	2.41		3.13	533		
SKI18003	619350.19	7214412.85	346	-56	52.6	34.00	36.00	2.00	**1.2**	**29.17**	**16.5**	**35.00**	30	Exp HG	**NOTE drill hole abandoned, target drilled by new drill hole SKI18003B**
SKI18003B	619349.924	7214414.397	346	-56	890	400.00	409.00	9.00	**5.30**	**2.00**		10.60	330	Exp HG	**Additionally assayed in September**
						584.00	599.00	15.00	**8.7**	**2.16**		18.79	490	Exp HG	
						663.00	690.00	27.00	**13.5**	**4.12**	**3.7**	**55.62**	560		
						704.00	713.00	9.00	**5.0**	**2.26**		11.30	580		
						875.00	881.00	6.00	**3.7**	**2.25**		8.33	715		
SKI18004	619173.13	7214522.22	330	-57	699.8	382.00	386.00	4.00	2.1	2.03		4.26	325	Exp HG	
						442.00	446.00	4.00	2.1	1.86		3.91	340		
						460.00	469.00	9.00	4.8	1.16		5.57	390		
						478.00	515.00	37.00	19.8	0.87		17.23	420		
						522.00	527.00	5.00	2.6	2.20		5.72	440		
						549.00	575.55	26.55	**14.2**	**2.43**		34.51	480		
						587.00	591.00	4.00	2.2	2.02		4.44	495		
						620.00	625.00	5.00	**2.7**	**4.00**		10.80	525		
						637.00	651.00	14.00	**6.6**	**4.97**	**3.8**	32.80	545		
SKI18005	619200.75	7214625.41	330	-45	276.1	38.00	50.00	12.00	6.4	1.10		7.04	30	Exp HG	
						267.00	272.00	5.00	2.9	3.35		9.72	190		
SKI18006	619378.65	7214202.45	41	-53	898.9	No significant intersections								Exp HG	
SKI18007	619200.41	7214624.61	330	-73	390.6	83.00	91.00	8.00	2.1	1.07		2.25	80	Exp HG	
						159.00	163.00	4.00	1.0	10.09		10.09	150		
						287.00	306.00	19.00	6.3	2.20		13.86	280		
						343.00	351.00	8.00	2.8	2.30		6.44	330		
						368.00	383.00	15.00	**5.5**	**3.74**		20.57	355		
SKI18008	618369.98	7213683.70	40	-47	452.1	No significant intersections								Reg	
HoleID	**Easting**	**Northing**	**Azimuth (°)**	**Dip (°)**	**DDH length (m)**	**From (m)**	**To (m)**	**CL (m)**	**ETL (m)**	**Au (g/t)**	**TC (g/t)**	**Au x TL**	**Midp. below surface (m)**	**Expansion Reg., Valid**	
Risberget															
RIS17001	623066.98	7213695.03	360	-40	394.9	197.00	215.00	18.00	13.5	1.29		17.4	125	Reg	
						226.00	243.00	17.00	12.8	0.88		11.2	140		
						260.00	277.00	17.00	12.8	1.07		13.6	160		
						293.00	308.30	15.30	**11.5**	**1.87**		21.5	180		
RIS17002	623099.00	7213712.38	358	-38	285.4	168.00	218.00	50.00	**35.0**	**0.82**		28.7	100	Reg	
RIS17003	623099.00	7213711.42	359	-52	362.2	No significant intersection								Reg	
RIS17004	623066.35	7213690.70	320	-38	340.9	124.00	135.00	11.00	8.3	0.63		5.2	70	Reg	
						163.00	170.00	7.00	5.3	0.88		4.6	90		
RIS17005	623210.22	7213633.18	360	-53	302.2	*20.00*	21.00	1.00	**0.8**	**248.00**	**20.00**	186.0	15	Reg	
						70.00	72.00	2.00	1.5	1.79		2.7	55		
						92.00	96.00	4.00	**3.0**	**7.24**	**5.56**	21.7	75		
RIS17006	623210.26	7213634.52	360	-40	423.7	No significant intersection								Reg	
RIS17007	622989.85	7213656.72	316	-38	354.3	*109.00*	141.00	32.00	**24.0**	**2.92**	**1.58**	70.1	75	Reg	
					incl.	*123.00*	*129.00*	*6.00*	**4.5**	**12.13**	**5.01**	54.6	75		
RIS17008	622993.18	7213607.73	320	-38	369.9	217.00	221.00	4.00	3.0	4.05		12.2	130	Reg	
RIS17009	621883.41	7213962.34	145	-65	490.8	95.00	108.00	13.00	9.8	1.42		13.8	90	Reg	
						119.00	125.00	6.00	4.5	1.33		6.0	110		
						168.00	177.00	9.00	**6.8**	**1.69**		11.4	155		
RIS17010	621883.02	7213962.83	55	-45	252.4	No significant intersection								Reg	
RIS17011	621882.49	7213962.48	316	-45	406.1	124.00	134.00	10.00	7.5	0.59		**4.4**	90	Reg	

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid	
RIS17012	621768.65	7213842.55	225	-45	174.8	No significant intersection			0.0					Reg	
RIS17013	621769.92	7213839.07	144	-42	344.1	99.00	105.00	6.00	4.5	0.97		**4.4**	65	Reg	
					polymetallic	247.00	252.00	5.00	**3.8**	**1.23**		**4.6**	160		RIS17013 5.0m with polymetallic mineralization.
RIS17014	622998.52	7213601.46	134	-45	347.5	No significant intersection								Reg	Ag = 209g/t, Au = 1.23g/t, Cu = 0.16%, Sb = 700g/t, Zn = 0.20%
RIS17015	623071.59	7213686.38	136	-45	356.2	No significant intersection								Reg	
RIS17016	622866.03	7213979.89	140	-55	380.5	245.00	273.00	28.00	**21.0**	**1.28**		**26.9**		Reg	
					inc.	*264.85*	*273.00*	*8.15*	***6.1***	***2.37***		14.5			
RIS17017	622329.00	7213590.00	315	-45	25.2	*hole paused untill summer 2018 due to lack of proximal water source*								Reg	
RIS17018	623213.40	7213630.41	135	-45	458.4	18.00	40.00	22.00	16.5	1.07		17.7		Reg	
					inc	*18.00*	*32.00*	*14.00*	*10.5*	*1.29*		*13.5*			
RIS17019	622865.82	7213980.14	138	-64	380.5	273.00	278.00	5.00	3.8	1.46		5.5		Reg	
						294.00	308.00	14.00	10.5	1.50		15.8			
					inc	*303.00*	*308.00*	*5.00*	*3.8*	*2.80*		*10.5*			
						317.00	335.00	18.00	13.5	0.62		8.4			
RIS17020	622961.31	7214004.81	140	-55	310.9	187.00	248.00	61.00	**45.8**	**1.12**		**51.2**		Reg	
					inc	*232.00*	*248.00*	*16.00*	***12.0***	***2.98***		**35.8**			
RIS17021	623314.34	7213616.73	360	-45	312.3	No significant intersection						0.0		Reg	
RIS17022	622865.93	7213979.01	180	-48	284.3	147.00	162.00	15.00	11.3	0.73		8.2		Reg	
RIS17023	622961.07	7214005.09	140	-67	396	189.70	196.00	6.30	4.7	2.00		9.5		Reg	
						279.00	290.00	11.00	8.3	1.75		14.4			
RIS17024	623419.52	7213597.39	136	-45	284.4	No significant intersection						0.0		Reg	
RIS18001	623076.15	7214119.45	141	-45	361.8	No significant intersection								Reg	
RIS18002	622794.16	7213909.21	135	-65	446.55	161.00	170.00	9.00	7.1	1.98		14.06	145	Reg	
					inc	*166.00*	*169.00*	*3.00*	*2.4*	*3.40*		*8.16*	*145*		
RIS18003	622683.94	7213864.29	138	-47	512.7	397.50	399.30	*1.80*	1.7	1.51		*2.61*	265	Reg	
						406.00	416.00	*10.00*	9.6	1.00		*9.60*	270		
					inc	*408.00*	*411.00*	*3.00*	*2.8*	*1.87*		*5.24*	270		
RIS18004	622634.54	7213685.90	139	-45	479.3	No significant intersection								Reg	
RIS18005	622420.07	7213642.93	136	-45	480.3	No significant intersection								Reg	
RIS18006	622689.25	7213865.34	95	-65	497.3	393.00	403.00	10.00	4.5	0.58		2.61	350	Reg	
RIS18007	622957.05	7213897.37	200	-45	257.3	50.00	54.00	4.00	1.4	0.66		0.92	35	Reg	
						147.00	149.00	2.00	0.8	2.73		2.18	95		
RIS18008	622959.20	7213900.91	139	-58	212.7	54.00	64.00	10.00	9.1	0.70		6.37	50	Reg	
						153.00	166.00	13.00	12.0	1.20		14.40	130		
					inc	*153.00*	*158.00*	*5.00*	*4.6*	*2.24*		*10.30*	130		
RIS17017	622330.37	7213590.95	314	-45	411.8	349.00	353.00	4.00	3.0	0.71		2.13	230	Reg	
RIS19001	622790.37	7213912.37	302	-47	275.4	No significant intersection								Reg	
RIS19002	621853.51	7213515.60	50	-45	326.3	No significant intersection								Reg	
RIS19003	623100.76	7213708.58	120	-40	176.2	No significant intersection								Reg	
HoleID	**Easting**	**Northing**	**Azimuth (°)**	**Dip (°)**	**DDH length (m)**	**From (m)**	**To (m)**	**CL (m)**	**ETL (m)**	**Au (g/t)**	**TC (g/t)**	**Au x TL**	**Midp. below surface (m)**	**Expansion Reg., Valid**	
orra-Stentjärnen															
NOR18003	616365.354	7216869.14	212	-47	245.2	No significant intersection						0.0		Reg	
NOR18004	616394.062	7216778.46	210	-54	218.3	No significant intersection						0.0		Reg	
NOR18005	616394.440	7216779.136	31	-47	263.1	No significant intersection						0.0		Reg	
NOR18007	616663.242	7216633.548	34	-52	365.1	247.00	250.20	3.20	2.3	2.97		6.8	185	Reg	
NOR18008	616660.194	7216628.69	210	-52	295.8	No significant intersection						0.0		Reg	
NOR18009	616786.041	7216496.38	212	-47	227.1	No significant intersection						0.0		Reg	
NOR18010	616789.027	7216501.52	32	-47	332.1	No significant intersection						0.0		Reg	NOR18010 1.6m with 1.9% Zn at 211.4-213m
NOR18011	616788.907	7216501.377	32	-54	325.7	No significant intersection						0.0		Reg	NOR18011 1.1m at 103-104.1m with 1.12% zinc. No elevated Ag, As, Cu or Pb
NOR18012	616517.74	7216816.67	213	-47	326.1	No significant intersection						0.0		Reg	
NOR18013	616521.147	7216822.117	31	-47	231.9	No significant intersection						0.0		Reg	
NOR18014	616403.579	7217044.706	30	-47	374.0	No significant intersection						0.0		Reg	
NOR18015	617199.039	7216323.345	211	-47	167.3	No significant intersection						0.0		Reg	
NOR18016	616951.125	7216576.11	256	-47	307.6	No significant intersection						0.0		Reg	NOR18016 0.6m at 101.6-102.2m with 1.53% zinc. No elevated Ag, As, Cu or Pb
NOR18017	616867.15	7216839.684	211	-47	253.6	No significant intersection						0.0		Reg	

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	TC (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid
NOR18018	617202.467	7216328.546	32	-47	124.7	5.00	13.00	8.00	6.0	0.42		2.5	10	Reg
NOR18019	617198.05	7216320.63	38	-60	100.5	No significant intersection						0.0		Reg
NOR18020	617388.602	7216252.57	217	-47	143	No significant intersection						0.0		Reg
NOR18021	617391.39	7216256.88	31	-47	229.3	No significant intersection						0.0		Reg
HoleID	**Easting**	**Northing**	**Azimuth (°)**	**Dip (°)**	**DDH length (m)**	**From (m)**	**To (m)**	**CL (m)**	**ETL (m)**	**Au (g/t)**	**TC (g/t)**	**Au x TL**	**Midp. below surface (m)**	**Expansion Reg., Valid**
Regional														
SKL18008	620098.90	7215123.22	214	-57	1153.4	939.00	941.00	2.00	1.5	1.70		2.6	810	Reg
NOR19016	618010.157	7216223.393	39	-45	470.2	No significant intersection								Reg
NOR19017	617874.123	7216313.294	53	-50	341.2	No significant intersection								Reg
NOR19019	617995.942	7216924.172	40	-45	351.0	No significant intersection								Reg
NOR19020	618686.151	7216681.409	199	-50	554.9	286	287	1.00	0.75	1.55			160	Reg
AVA19007	616385.32	7216183.56	158	-49	701.3	665.00	669.00	4.00	3.0	1.90			360	Reg
					incl.	*668.00*	*669.00*	1.00	0.8	*6.57*				
ESB19001	617411.63	7222512.50	126	-45	73.7	No significant intersection								Reg
ASP19001	619134.54	7225632.75	98	-45	139.9	No significant intersection								Reg

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	Ag (g/t)	Cu %	Pb %	Zn %	Midp. below surface (m)	Expansion Reg., Inf
Storträsket																
STO19001	622947.19	7210621.17	70.92	-47	110	No significant anomalous Au or base metal grades										Reg
STO19002	623105.33	7210909.92	89.53	-47	100.1	10.00	12.00	2.00	1.5	-	52.82	-	0.27	0.25	7	Reg
STO19003	622398.55	7211629.34	178.12	-45	65	No significant anomalous Au or base metal grades										Reg
STO19004	621274.09	7210973.79	329.15	-47	76.4	No significant anomalous Au or base metal grades										Reg

HoleID	Easting	Northing	Azimuth (°)	Dip (°)	DDH length (m)	From (m)	To (m)	CL (m)	ETL (m)	Au (g/t)	Ag (g/t)	Au x TL	Midp. below surface (m)	Expansion Reg., Valid	
Regional															
NOR20001	**619183.45**	**7218479.87**	**49**	**-45**	**119**	No significant anomalous Au or base metal grades								Reg	
NOR20002	619234.29	7218306.85	191	-45	157.3	No significant anomalous Au or base metal grades								Reg	
NOR20003	619600.35	7217793.38	50	-45	212.5	No significant anomalous Au or base metal grades								Reg	
NOR20005	**618581.00**	**7219491.38**	**209**	**-45**	**139.7**	No significant anomalous Au or base metal grades								Reg	
RIS20003	620656.13	7213584.78	86	-45	250.7	205.00	206.00	1.00	N/A	**4.1**	-	-	140	Reg	*Additional assays pending*

CL=core length, ETL= estimated true length.

Au g/t = Intersection grade with no top-capping

TC g/t = Top-capping at 20 g/t Au. Used for calculating intersection containing individual samples with Au-grades >20 g/t.

Since January 2018 the top-capping is 40g/t Au at Central, 30g/t Au at Skiråsen and 20g/t Au at Avan and 20g/t Au at Risberget

Capping is since May 2018 also based on sample width e.g. 1.0m sample at Avan = 20g/t capping, 0.5m sample = 40g/t Au, 0.25m sample = 80 g/t Au

Capping is since May 2018 also based on sample width e.g. 1.0m sample at Central = 40g/t capping, 0.5m sample = 80g/t Au, 0.25m sample = 160 g/t Au

Capping is since May 2018 also based on sample width e.g. 1.0m sample at Skiråsen = 30g/t capping, 0.5m sample = 60g/t Au, 0.25m sample = 120 g/t Au

Val = Validation

Inf = Infill

Exp = Expansion

Reg = Regional exploration

Twin=Twinhole

New results for the month

xx.x **High-grade results or Au x TL more than 20**